



REFERENCES

- American Society for Testing and Materials (ASTM), 2004a. Standard Practice for Design and Installation of Ground Water Monitoring Wells, Designation: D5092-04, West Conshohocken, PA, June 2004.
- ASTM, 2005a. Guide for Development of Ground-Water Monitoring Wells in Granular Aquifers, Designation: ASTM D5521-05. West Conshohocken, PA.
- Aqua Merik, 2008. "AquaMerik – Aquaculture & Environment". Photograph Source URL: www.aquamerik.com/photo/environnement/fht35.qif, December 2008.
- Bouwer, H., 1989. The Bouwer and Rice Slug Test - An Update. Groundwater, Vol. 27, No. 3. May-June 1989.
- California Environmental Protection Agency (CalEPA), 1995a. Guidelines for Hydrogeologic Characterization at Hazardous Substances Release Sites, Volume 1: Field Investigation Manual. July 1995.
http://www.dtsc.ca.gov/SiteCleanup/upload/SMP_Guidelines_Hydrogeologic_Characterization_Vol1.pdf
- CalEPA, 1995b. Monitoring Well Design and Construction for Hydrogeologic Characterization, Guidance Manual for Ground Water Investigations. July 1995.
http://www.dtsc.ca.gov/SiteCleanup/upload/SMP_Monitoring_Well_Design.pdf
- Cedergren, H.R., 1977. Seepage, Drainage, and Flow Nets, John Wiley and Sons, N.Y. 534p.
- Cooper, H.H., J.D. Bredehoft, and I.S. Papadopoulos (Cooper et al.), 1967. Response of a Finite Diameter Well to an Instantaneous Charge of Water. Water Resources Res. 3(1):263-269. First Quarter 1967.
- Cowgill, U.M. 1988. The Chemical Composition of Leachate from a Two-Week Dwell-Time Study of PVC Well Casing and Three-Week Dwell-Time Study of Fiberglass Reinforced Epoxy Well Casing. In Ground-Water Contamination: Field Methods, Symposium February 2-7, 1986. ed. A.G. Collins and A.I. Johnson, 172-184. Philadelphia, PA: ASTM International.



Domenico, Patrick A. and F.W. Schwartz (Domenico et. al.), 1990. Physical and Chemical Hydrogeology. John Wiley & Sons, Inc. pp. 164. 1990.

Environmental Pumping, 2008. "Peristaltic Pumping, Sludge Pumps, Auto Desludge Pumps, Peristaltic Sludge Pumps, Effluent Pumps". Photograph Source URL:
<http://www.environmentalpumping.co.uk/html/peristaltic-pumps.htm>,
December 2008.

Eon Products, Inc. (EON), 2008. "EON Water sampling equipment, instruments, environmental sampling supplies, hazardous gas detectors". Photograph Source URL:
http://www.eonpro.com/images/products/8Aspec_blr.jpg,
December 2008.

Freeze, R.A., and J.A. Cherry (Freeze et. al.), 1979. Groundwater. Prentice Hall Publishing Co., Inc. Englewood Cliffs, N.J., 604 pp. 1979.

General Oceanics, 2008. "General Oceanics, Inc, Water and Air Sampling Products". Photograph Source URL:
<http://www.generaloceanics.com/genocean/ClearNiskin04.jpg>,
December 2008.

GeolInsight Online. "GeolInsight Online – No-purge samplers, passive samplers, direct push equipment". Photograph Source URL:
http://www.geoinsightonline.com/about_small_diam_wells/diagram.html

Hantush, M.S., and C.E. Jacob (Hantush et. al.), 1955. Nonsteady Radial Flow in an Infinite Leaky Aquifer. Trans. Amer. Geophys. Union. 36:95-100.

Hantush, M.S., 1956. Analysis of Data from Pumping Tests in Leaky Aquifers. Trans. Amer. Geophys. Union. 37:702-714.

Hantush, M.S., 1961. Aquifer Tests on Partially Penetrating Wells. Proc. Amer. Soc. Civ. Engr. 87:171-195.

Hantush, M.S. 1964. Hydraulics of Wells. In Advances in Hydroscience, ed. V. Chow, 281-432. New York: Academic Press.



Hawaii State Department of Health (HDOH), 2008a. Evaluation of Environmental Hazards at Sites with Contaminated Soil and Groundwater. Hawai'i Department of Health, Office of Hazard Evaluation and Emergency Response. Summer 2008 (Updated October 2008).

www.hawaii.gov/health/environmental/hazard/eal2005.html

Hawai'i Department of Land and Natural Resources (HDLNR), 2004. Hawai'i Well Construction and Pump Installation Standards. Commission on Water Resource Management. February 2004.

Hvorslev, M.J., 1951. Time Lag and Soil Permeability in Groundwater Observations: USACE Waterway Exp. Stat. Bull. 36. Vicksburg, MS. 1951.

Jones, J.N. and G.D. Miller (Jones et. al.), 1988. Adsorption of Selected Organic Contaminants onto Possible Well Casing Materials. In Ground-Water Contamination: Field Methods, ed. A.G. Collins and A.I. Johnson, 185-198. Philadelphia, PA: International ASTM.

Mink, J.F. and L.S. Lau (Mink et. al.), 1990a. Aquifer Identification and Classification for Oahu: Groundwater Protection Strategy for Hawaii. Technical Report No. 179. Honolulu: Water Resources Research Center, University of Hawaii.

Mink, J.F. and L.S. Lau (Mink et. al.), 1990b. Aquifer Identification and Classification for Maui: Groundwater Protection Strategy for Hawaii. Technical Report No. 185. Honolulu: Water Resources Research Center, University of Hawaii.

Mink, J.F. and L.S. Lau (Mink et. al.), 1992a. Aquifer Identification and Classification for Kauai: Groundwater Protection Strategy for Hawaii. Technical Report No. 186. Honolulu: Water Resources Research Center, University of Hawaii.

Mink, J.F. and L.S. Lau (Mink et. al.), 1992b. Aquifer Identification and Classification for Molokai: Groundwater Protection Strategy for Hawaii. Technical Report No. 187. Honolulu: Water Resources Research Center, University of Hawaii.

Mink, J.F. and L.S. Lau (Mink et. al.), 1993a. Aquifer Identification and Classification for Lanai: Groundwater Protection Strategy for Hawaii. Technical Report No. 190. Honolulu: Water Resources Research Center, University of Hawaii.



- Mink, J.F. and L.S. Lau (Mink et. al.), 1993b. Aquifer Identification and Classification for Hawaii: Groundwater Protection Strategy for Hawaii. Technical Report No. 191. Honolulu: Water Resources Research Center, University of Hawaii.
- Nielsen, D.M., 2006. Practical Handbook of Environmental Site Characterization and Ground-water Monitoring. 2nd edition.
- Nielsen, D.M. and G.L. Nielsen (Nielsen et. al.). 2007. The Essential Handbook of Ground-Water Sampling. CRC Press, 309 pgs.
- Neuman, S.P., 1975. Analysis of Pumping Test Data from Anisotropic Unconfined Aquifers Considering Delayed Gravity Response. *Water Resources Res.* 11(2):329-342.
- New Jersey Department of Environmental Protection Agency (NJDEP), 2005. New Jersey Department of Environmental Protection Field Sampling Procedures Manual. August 2005. <http://www.state.nj.us/dep/srp/guidance/fspm/>
- Papadopoulos, I.S., J.D. Bredehoft, and H.H. Cooper (Papadopoulos et. al.), 1973. On the Analysis of Slug Test Data. *Water Resources Res.* 9(4):1987-1089.
- Parker, L.V., T.F. Jenkins, and P.B. Black (Parker et. al.), 1989. Evaluation of Four Well Casing Materials for Monitoring Selected Trace Level Organics in Ground Water. CRREL Report 89-18, United States Department of the Army (US Army) Cold Regions Research and Engineering Laboratory, Hanover, NH.
- Pohlmann, K.F., R.P. Blegen, and J.W. Hess (Pohlmann et. al.), 1990. Field Comparison of Ground-Water Sampling Devices for Hazardous Waste Sites: An Evaluation using Volatile Organic Compounds. EPA/600/4-90/028, pp. 102. 1990.
- Puls, R.W. and Barcelona, M.J. (Puls and Barcelona), 1989. Superfund Ground Water Issue. EPA Office of Solid Waste and Emergency Response. EPA/540/4-89/001. March 1989.
- Puls and Barcelona, 1996. Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures. Superfund Ground Water Issue. EPA Office of Solid Waste and Emergency Response. EPA/540/S-95/504. April 1996.
- Rickly Hydrogeological Company, 2008. "Rickly Hydrogeological Company". Photograph Source URL: www.rickly.com/as/images/VOCSAMPL.JPG, December 2008.



Snow, D.T., 1968. Rock Fracture Spacings, Openings, and Porosities. Proc Amer Soc Civil Eng, J Soil Mech Found Div. 94(1):73-91.

Solinst, 2008. "Solinst Groundwater and Surface Water Monitoring Instrumentation, Water Level Meters, Interface Probes". Photograph Source URL: www.solinst.com, December 2008.

South Carolina Department of Health and Environmental Control (SC DHEC), 2005. Guidance Document: Tier II Assessment, Underground Storage Tank Program, Bureau of Land and Waste Management. December 6, 2005.

Tai, D.Y., K.S. Turner, and L.A. Garcia, 1991. The Use of a Standpipe to Evaluate Ground Water Samples. Ground Water Monitoring Review. 11(1):125-132.

United States Army Corps of Engineers (USACE), 1998. Monitoring Well Design, Installation and Documentation a Hazardous Toxic, and Radioactive Waste Sites, Engineering Manual EM 1110-1-4000. Washington, DC. November 1, 1998. <http://www.usace.army.mil/publications/eng-manuals/em1110-1-4000/toc.htm>

United States Department of the Navy (US Navy), 2007. Projects Procedures Manual, US Navy Environmental Restoration Program, Naval Facilities Engineering Command (NAVFAC) Pacific. February 2007.

United States Environmental Protection Agency (USEPA), 1983. Methods for Chemical Analysis of Water and Wastes, EPA-600/4-79-020, March 1983.

USEPA, 1989a. Criteria for Identifying Areas of Vulnerable Hydrogeology Under the Resource Conservation and Recovery Act, Appendix B - Ground-Water Flow Net/Flow Line Construction and Analysis. Interim Final 1989.

USEPA, 1991a. Handbook of Suggested Practices for the Design and Installation of Groundwater-Monitoring Wells. EPA160014-891034. Las Vegas, Nevada. March 1991. <http://www.epa.gov/oust/cat/wwelldct.pdf>

USEPA, 1991c. Test Methods for Evaluating Solid Waste, Volume II, Chapter 11. SW-846. <http://www.epa.gov/epawaste/hazard/testmethods/sw846/online/index.htm>



USEPA, 1992a. Office of Solid Waste and Emergency Response. Groundwater Issue – Fundamentals of Ground-Water Modeling. EPA/540/S-92/005. Washington DC. April 1992.
<http://www.epa.gov/ada/download/issue/issue13.pdf>

USEPA, 1992d. RCRA Ground-Water Monitoring: Draft Technical Guidance. Office of Solid Waste. Washington DC. November 1992.
http://www.epa.gov/correctiveaction/resource/guidance/sitechar/gwmonitr/rcra_gw.pdf

USEPA, 1995c. Superfund Program, Representative Sampling Guidance, Volume 5: Water and Sediment. Interim Final. OSWER Directive 9360.4-16. December 1995.
<http://www.epa.gov/region09/qa/pdfs/fieldsamp-sfguidance-vol5.pdf>

USEPA, 1996d. Sampling Ambient Water for Trace Metals at EPA Water Quality Criteria Levels, Method 1669. EPA 821-R-96-011. July 1996.

USEPA, 1999a. Compendium of ERT Groundwater Sampling Procedures. EPA 540/P-91/007. Washington D.C. January 1999.
http://www.cdphe.state.co.us/wq/permitsunit/PolicyandGuidance/gw_samplingcompend.pdf

USEPA, 2002b. Groundwater Sampling Guidelines for Superfund and RCRA Project Managers. EPA542-S-02-001. May 2002.
http://www.epa.gov/tio/tsp/download/gw_sampling_guide.pdf

USEPA, 2004c. Site Characterization Technologies for DNAPL Investigations. EPA 542-R-04-017. Solid Waste and Emergency Response (5102G). September 2004.
<http://www.epa.gov/tio/download/char/542r04017.pdf>

United States Geological Survey (USGS), 2002. Book 9, Handbooks for Water-Resources Investigations - National Field Manual for the Collection of Water-Quality Data – Chapter A2: Selection of Equipment for Water Sampling. Version 2. March 2002.
http://water.usgs.gov/owq/FieldManual/Chapter2/Chapter2_V2uncompressed.pdf

USGS, 2008. “USGS Water Resources: National Research Program (NRP) – fractured rock hydrology”. Website URL: <http://water.usgs.gov/nrp/proj.bib/hsieh.html>, December 2008.



USGS, 2008b. "USGS Toxic Substances Hydrology Program". Photograph Source URL: <http://toxics.usgs.gov/pubs/FS-087-00/img3.jpg>, December 2008.

Vroblesky, D.A., ed., 2001, User's Guide for Polyethylene-Based Passive Diffusion Bag Samplers to Obtain Volatile Organic Compound Concentrations in Wells—Part 2—Field Tests: United States Geological Survey Water-Resources Investigations, Report 01-4061, variously paged. 2001.

Walton, W.C, 1970. Groundwater Resource Evaluation. New York, McGraw-Hill. 1970.

Yeskis, D., K. Chiu, S. Meyers, J. Weiss and T. Bloom (Yeskis et al.), 1988. A Field Study of Various Sampling Devices and Their Effects on Volatile Organic Contaminants; Proceedings of the Second National Outdoor Action Conference on Aquifer Restoration, Ground Water Monitoring and Geophysical Methods, National Water Well Association. May 1988.